
INTRODUCTION TO DOSAGE FORMS

Contents

- 1. Introduction
- 2. Classification of dosage forms
 - Solid dosage forms
 - Liquid dosage forms
 - Semi solid dosage forms
- 3. New drug delivery system

DOSAGE FORM OF DRUGS

Dosage forms are the means by which drug molecules/APIs are delivered to sites of action within the body to produce optimum desired effects and minimum adverse effect.



Introduction

Dosage form (Medicines) = API + Excipients

The means (or the form) by which drug molecules are delivered to sites ofaction within the body.

➤ Drug (Active pharmaceutical ingredients)

Chemical compound intended for used in diagnosis, treatment prevention, of disease. The Active Pharmaceutical Ingredient (API) is the part of any drug that produces its effects.

Excipients

O Do not increase or affect the therapeutic action of the active ingredient.

Olnactive ingredients may also be referred to as inert ingredients or excipients, and generally have no pharmacological effect.

OExamples of inactive ingredients include binding materials, dyes, preservatives, and flavoring agents, sweetening agents, coloring agents etc.

Direct clinical use of the active drug substances is rare: Why??

- API handling and Accurate dosing can be difficult or impossible (e.g., potent drugs: low mg and µg doses).
- API administration can be impractical/unfeasible because of size, shape, smell/odour, taste and low activity.
- Some API are chemically unstable in light, moisture, O2
- API can be degraded at the site of administration (e.g., low pH in stomach).
- API may cause local irritations or injury when they are present at high concentrations at the site of administration.
- Administration of active substance would mean to have no chance for modification (improvement) of its PK profile.

NEED OF DOSAGE FORMS

- Provide safe and convenient delivery of accurate dosage. Example Tablets, capsules, syrups
- Protection of a drug substances from atmospheric oxygen or moisture.
 Example Coated capsules, sealed ampules
- Protection of a drug substances from gastric acid after oral administration.
 Example Enteric coated tablets
- Conceal bitter taste, or odor of a drug substances. Example Capsules, coated tablets, flavored syrups
- Provide liquid preparation of drug that insoluble or unstable in the desired vehicle. Example Suspension
- Provide liquid dosage forms of substances soluble in desired vehicle. Example – Solution.

- Provide optional drug action from topical administration sites. Example Ointment, cream, ear and nasal preparations.
- Provide for insertion of a drug into one of the body's orifices. Example Rectal and vaginal suppositories.
- Provide extended drug action through controlled release mechanisms. Example Controlled release tablets, capsules, suspensions.
- Provide for the placement of drugs within body tissues. Example Implants.
- Provide for the optimal drug action through inhalation therapy. Example Inhalants.

CLASSIFICATION OF DOSAGE FORMS

Based on Route of Administration

Based on Physical Form

Oral Parenteral

Topical

Transdermal

Respiratory/Inhaled

Ophthalmic

Rectal

Veginal

Otic

Solid Semi-

solid Liquid

Gases

Based on Route of Administration

Enteral Route	
Oral	Tablets, Capsules, Syrups, Suspension, Emulsion etc. Dry Powder Inhaler (DPI), pressurized Metered DoseInhaler (pMDI) – Nebulizer, Vaporizer
Sub-lingual & Buccal	Orally Disintegrating Tablet (ODT), Lozenges , Chewingtablets, Mouthwash, Toothpaste, Ointment, Oralspray
Rectal & Vaginal	Ointment, Suppository, Enema, Nutrient enema

Parenteral (injections & infusions)


Intravenous, Intramuscular, Intracardiac, Intraosseous, Intraperitoneal, Intracerebral, Intrathecal, Intradermal, Subcutaneous

Topical Route	
Dermal	Ointment, Liniment, Paste, Cream, Lotion, Lip balm, Medicated shampoo, Dermal patch
Mucosal	Ear drops, Eye drops, Nasal spray, Ointment, Hydrogel, Nanosphere suspension, Mucoadhesive microdisc (microsphere tablet)
Percutaneous	Transdermal patch etc


Based on Physical Form

	Solid Dosage Forms	
Shaped	Tablets, Capsules, Implants, Transdermalpatches	
Unshaped	Powders for external/internal use	
Semi-solid Dosage Forms		
Shaped	Suppositories (for rectal administration) Pessaries (vaginal suppositories)	
Unshaped	Gels, Creams, Ointments, Pastes	
Liquid Dosage Forms		
Monophasic	Solutions (syrups, spirits, elixirs, tinctures)	
Biphasic	Emulsions, Suspension	
External Solutions	Lotions, Liniments, Collodions etc	
Gaseous Dosage Forms		
Medicinal Gases	Aerosols: Inhalation/volatile anesthetics	
Aerodispersions	Antiasthmatics sprays	


Classification




CLASSIFICATION OF SOLIDS




CLASSIFICATION OF LIQUIDS







SEMI-SOLID DOSAGE FORMS



INHALED DOSAGE FORMS



RECTAL & VAGINAL DOSAGE FORMS



SOLID DOSAGE FORMS




1 -TABLET

- A tablet is unit dose of one or more medicament. Prepare by compression ormould method.
- Common excipients used in tablet are:
- ✓ Diluents Provide bulkiness of tablet.
- ✓ Disintegrants To ensure that the tablet breaks up in the digestive tract.
- ✓ Binder Important for granulation of powder.
- ✓ Glidants and Lubricants Provide good flow and ensure efficient tabletting.
- ✓ Sweeteners and Flavors To mask the taste of APIs.
- ✓ Pigments To mask uncoated tablets visually attractive.
- A coating may be applied to mask taste, smooth tablet for easyswallow, expending shelf life, and prevent gastric degradation of drug.



2 - BUCCAL AND SUBLINGUALTABLET

- Buccal tablets placing between the gum and the cheek.
- Sublingual tablets placing under the tongue.
- Medicaments of both systems rapidly dissolve in mouth and absorbed throughthe mucous membrane of mouth.
- Purg reaches in systemic circulation without affecting by gastric juicesand metabolizing enzymes of the liver.
- Examples Vasodilators, Steroidal hormones.





3 - EFFERVESCENT TABLET



- Effervescent tablets are uncoated and generally contain acid substances (citric and tartaric acids) and carbonates or bicarbonates, which react rapidly in presence of water and release carbon dioxide.
- They are intended to be dissolved or dispersed in water before use, it provide:
- ✓ Tablet immediately dissolve or dispersed
- ✓ Pleasant taste of carbonated drink

4 - CHEWABLE TABLET

- They are tablets that chewed prior to swallowing.
- They are designed for administration to children e.g. vitamin products.



5 - CAPSULES

- Solid unit dosage form that contain a solid, semi-solid, and liquid fill and a gelatin shell.
- Common excipients used in capsules are :
- ✓ Gelatin Commonly used as gelling agent.
- ✓ Plasticizers To ensure elasticity or mechanical stability.
- ✓ Additional Additives Preservative, coloring and opacifying agents.
- They are mainly two types are:
- ✓ Hard gelatin capsules used for dry powder ingredients.
- ✓ Soft gelatin capsules used for semi-solid and for active ingredients that are dissolved or suspended in oil.





6 - LOZENGE



- It is a solid preparation that used to medicate the mouth and throat for the slow administration of indigestion or cough remedies.
- It consisting of sugar and gum, the latter giving strength and cohesiveness to the lozenge and facilitating slow release of the medicament.

7 - PASTILLES



- It is a solid medicated pill or candy preparation that design to dissolve slowlyin the mouth.
- They are softer than lozenge and their base are glycerol, gelatin, acacia and sugar.

8 - DENTAL CONES



- Atablet from intended to be placed in the empty socket following a tooth extraction, for preventing the local multiplication of pathogenic bacteria associated with tooth extractions.
- ➤ These tablets contain an excipients like lactose, sodium bicarbonate, and sodium chloride etc.
- Cones may contain an antibiotic or antiseptic.

9 - PILLS

- It is a solid oral dosage form which consists of spherical masses prepared from one or more APIs with inert excipients.
- Pills are now rarely used.



10 – ORALGRANULES

- They are consisting of solid, dry aggregates of powder particles withirregular shape often supplied in single-dose sachets.
- Some granules are placed under the tongue and swallowed with water and other are intended to be dissolved in water before taking.
- Effervescent granules evolve carbon dioxide when added to water.

11 – ORAL POWDER

- Bulk Powders are multi dose preparations consisting of solid, loose, dry particles of varying degrees of fineness.
- Contain one or more active ingredients, with or without excipients and, if necessary, coloring matter and flavoring substances.
- Usually contain non-potent medicaments such as antacids since the patient measures a dose by volume using a 5 ml medicine spoon.



LIQUID DOSAGE FORMS

1 – ORALSOLUTION

Oral solutions are clear Liquid preparations for oral use containing one or more active ingredients dissolved in a suitable vehicle.



Frelax American de de la companya d

2 - ORALEMULSION

Oral emulsions are stabilized oil-in-water dispersions, either or both phases of which may contain dissolved solids either oil is dispersed in finely divided form in water or vice versa.

3 – ORALSUSPENSION

Paiphasic liquid preparations for oral use containing one or more active ingredients suspended vehicle. It sediment which is readily dispersed on shaking to give a uniform suspension which remains sufficiently stable to enable the correct dose to be delivered.



4 - SYRUP

- It is a concentrated aqueous solution of a sugar, usually sucrose to which medicaments are added.
- Flavored syrups are a convenient form of masking disagreeable tastes.

5 - FLIXIR

- It is pleasantly flavored clear liquid oral preparation of potent or nauseousdrugs.
- The vehicle may contain a high proportion of ethanol or sucrose together with antimicrobial preservatives which confers the stability of the preparation.

6 - MOUTHWASHES

These are similar to gargles but are used for oral hygiene and to treatinfections of the mouth.









7 – LINCTUSES

- It is viscous, liquid oral preparations that are usually prescribed for the relief of cough. It contain high proportion of syrup and glycerol which have a demulcent effect on the membranes of the throat.
- The dose volume is small (5ml) and, to prolong the demulcent action, they should be taken undiluted.

8 – ORALDROPS

- Propose of a composition of the composition of the
- They may be solutions, suspensions or emulsions.



9 – GARGLES

- They are prepared in a concentrated solution with directions for the patient to dilute with warm water before use.
- They are aqueous solutions used in the prevention or treatment of throat infections.



10 - LOTIONS

It is mono-phasic liquid preparations (aqueous) for external application without friction either dabbed on the skin or applied on a suitable dressing and covered with a water proof dressing to reduce evaporation.



11 - NASAL DROPS & SPRAYS

- Prugs in aqueous solution may be instilled into the nose from a dropper or from a plastic squeeze bottle.
- Used for local effect, e.g. antihistamine, decongestant.



11 - COLLODION

Collodion is a solution of nitro cellulose in ether or acetone, some times with the addition of alcohols.

- As the solvent evaporates, it dries to a celluloid-like film.
- It is highly flammable.
- Compound Wart Remover consists of acetic acid and salicylic acid inan acetone collodion base used in treatment of warts by Keratolysis.

12 - PAINTS

- Paints are mono-phasic liquids for application to the skin or mucous membranes.
- Skin paints contain volatile solvent that evaporates quickly to leave a dry resinous
 - film of medicament.
- Throat paints are more viscous due to a high content of glycerol that designed to prolong contact of the medicament with the affectedsite.







PARENTERAL DOSAGE FORMS

An injection is an infusion method of putting liquid in to the body, usually witha

hollow needle and a syringe which is pierced through the skin.



- Intravenous Injection
 - It is a liquid administered directly into the bloodstream via a vein.
 - It is advantages when a rapid onset of action is needed.



- Intramuscular Injection
 - It is the injection of aAPIs directly into a muscle.
 - Intramuscular injections are often given in the deltoid, vastus lateralis, ventrogluteal and dorsogluteal muscles.



- Subcutaneous Injection
 - It is injecting into the subcutis, the layer of skin directly below the dermis and epidermis.
 - It is highly effective in administering vaccines and insulin.

SEMI-SOLID DOSAGE FORMS



1 - OINTMENTS

- Ointments are semi-solid, greasy preparations for application to the skin, rectum or nasal mucosa.
- Base is usually anhydrous and immiscible with skin secretions.
- Ointments may be used as emollients or dissolved medicaments to the skin.

2 – GELS



- In gel a liquid phase is constrained with in a 3-D polymeric matrix (consisting of natural or synthetic gum) having a high degree of physical or chemical cross- linking.
- It is used for medication, lubrication and some miscellaneous applications like carrier for spermicidal agents to be used intra vaginally.

3 – CREAMS



Oil-in-water (O/W)

- It composed of small dropletsof oil dispersed in a continuous aqueous phase.
- Less greasy and more easily washed off using water.

Water-in-oil (W/O)

- It composed of small droplets of water dispersed in a continuous oily phase.
- More difficult to handle butused for hydrophobic drug preparation.
- Reduces water loss from the stratum corneum maintain moisture of skin.

4 - PASTES



- Pastes are basically ointments into which a high percentage of insoluble solid has been added.
- The extra ordinary amount of particulate matter stiffens the system.
- It provide less heating and penetration than ointment.
- It make good protective barrier when placed on the skin, the solid they contain can absorb and thereby neutralize certain noxious chemicals before they ever reach the skin.

GreasyPastes • Leaser'spaste

Non-greasy Paste

Bassorinpaste

INHALED DOSAGE FORMS

1 – INHALER

- Inhalers are solutions, suspensions or emulsion of drugs in a mixture of inert propellants.
- Release of a dose of the medicament under pressure in an aerosol dispenser in the form of droplets of 50 um diameter or less from the container through a spring loaded valve incorporating a metering device.
- It is commonly used in the treatment of asthma and other respiratory problems.



2 – NEBULIZER OR ATOMIZE



R

- \triangleright It is commonly used in treating asthma, and other respiratory diseases.
- \triangleright It is a device used to administer medication in forms of a liquid mist to the air ways.
- It pumps air or oxygen through a liquid medicine to turn it into a vapor, which isthen inhaled by the patient.
- Generally prefer to inhalers for patients, due to advantages such as:
- 1- Cheaper
- 2 More portable
- 3 Less risk of side effects.
- For that reason, are usually reserved only for serious cases of respiratory disease or severe attacks.

RECTAL & VAGINAL

DOSAGE FORMS

1 – SUPPOSITORY

It is a semi solid medicated mass, usually cone shaped, that is inserted either into the rectum, vagina where it melts at body temperature.



2 - ENEMA

An enema is the procedure of introducing liquids into the rectum and colon via the anus.



Evacuant Enema

- Used as a bowel stimulant to treat constipation.
- Their volume up to 2 liters.
- Warmed to body temperature.
- Example soft soap enema & Magnesium sulphate enema

Retention Enema

- Their volume does not exceed 100 ml.
- No warming needed.
- Example barium enema & nutrient enema.

3 – PESSARY

Pessaries are solid medicated preparations designed for insertion into the vagina where they melt or dissolve.



Moulded

Pessaries

 Cone shape and prepared by molded method.

Compressed Pessaries

- Prepare by compression as similar manner to oral tablets.
- Available in different shape.

Vaginal

Capsules

 Prepare same as soft gelatin capsules and various size and shape.

Reference

Suryakant Verma Assistant. Professor Department of Pharmaceutics

DR. K. N. MODI INSTITUTE OF PHARMACEUTICAL EDUCATION AND RESEARCH, MODINAGAR